HME AHRENS-FOX
WILDLAND TYPE 6



SPECIFICATIONS

- **Chassis:** Ford F-550
- **Cab:** Commercial 4-Door Crew Cab
- **Engine:** Power Stroke 6.7L
- **Transmission:** Ford 10 Speed (Auto)
- **Collision Mitigation:** Front, Side, and Overhead Airbags
- **Seating:** Five (5)
- **Pump:** Darley 1-1/2 AG 150 GPM
- **Tank:** 300 Gallons
- **Foam System:** Odin Darley Fast Foam (Class A)
- **Lighting:** Tomar (Aux. and Warning)
- **Compartment Storage:** 97.3 cu. ft.
- **Rear Suction:** 2.5” Gated
- **Rear Discharges:** Rear SwingOut 1.5” (Water and Foam)
- **Booster Reels:** Two (2)
- **Hard Suction Storage:** 8 ft.

FIRETRUCKS.COM

Available for Immediate Delivery
SN#s: 24302, 24303, 24304, 24306 and 24307

HME Wildland Type 6

ENGINEERED FOR EXTREME CONDITIONS

On road or off-road, the HME Type 6 fire truck is a Wildland truck that expands the functionality and value of today's initial attack trucks. Designed to deliver on the tough firefighting standards of Federal Agencies and Regional/National Fleets, the HME Type 6 is loaded with the features you need. Built by industry leader HME Ahrens-Fox.





In-stock units available for immediate delivery.
CONTACT US TO REQUEST A DEMO



HME used its advanced computer design technology to build the toughest and most durable Type 6 available today. HME engineers applied 3-D modeling technology to create a flex-system to protect the durable stainless steel body of the Type 6 fire truck from the rigors and stress of rough wildland terrain.

FEATURES















WILDLAND TYPE 6

SN#s: 24302, 24303, 24304, 24306 and 24307









COMPARTMENTATION						
	BEHIND DOOR			CLEAR OPENING		
COMPT.	WIDTH	HEIGHT	DEPTH	DOOR WIDTH	DOOR HEIGHT	COMPT. VOLUME
L1:	30 "	40"	20"	26"	36"	13.88 FT³
L2:	47"	19"	20"	43"	14"	10.33 FT³
L3:	22"	40"	20"	18"	36"	10.18 FT³
CCL1:	50"	20"	20"	47"	16"	9.07 FT ³
CCL2:	29"	20"	20"	21"	16"	4.25 FT ³
R1:	30"	40"	20"	26"	36"	13.88 FT³
R2:	72"	19"	20"	68"	15"	15.83 FT³
R3:	26"	23"	20"	22"	19"	6.91 FT ³
CCR1:	37"	20"	20"	34"	16"	6.48 FT ³
CCR2:	42"	20"	20"	34"	16"	6.48 FT ³

